

GBprotect metal Anti-corrosion coating

NanoTechnology for excellent surfaces

GBneuhaus provides a range of innovative nano-coatings, including the anti-corrosion application **GBprotect metal**, particularly developed and customised for the requirement of industrial use. The coating combines excellent protection against corrosion with a thin layer and high transparency.

gbneuhaus.de sales@gbneuhaus.de



SUBSTRATES

» metals and alloys (e.g. steel, aluminium, copper, brass)

PROPERTIES

- » protection of components against aggressive environmental influences
- » standard: > salt spray test (according to DIN EN ISO 9227)
 - strain in condensed water climate (according to DIN EN ISO 6270-2)
- » option:

 customisation to specific corrosive environments
 customisation to specific substrates and compound structures
 combinable with antimicrobial (SANPURE[®]) and/or hydrophobic features
- » maximum temperature load: 200 °C
- » film thickness from 150 up to 1.500 nm
- » no change in haptic and optic quality of substrate
- » scratch-resistant (scratch hardness according to DIN EN ISO 1518: up to 20 N; pencil hardness according to DIN EN ISO 15184: up to 10 H)
- » abrasive hardness (cross-cut test according to DIN EN ISO 2409)
- » chemical-proof to customary detergents and disinfection methods
- » transparent, individually coloured on request or proof of presence by fluorescence particles
- » mechanically flexible



surface: with GBprotect metal

TECHNOLOGY

- » dip coating or spraying
- » application process is defined individually according to geometry and requirements of the substrate

COATING

- » certified according to REACH and RoHS
- » certified according to ISO 9001:2015; processes comply with IATF 16949
- » environmental management conforms to ISO 14001



GBneuhaus GmbH Am Herrnberg 10 98724 Neuhaus | Germany phone: +49 3679 726030

fax: +49 3679 726033

sales@gbneuhaus.de